Table 26.2 Cancer of the Thyroid (Invasive)

Trends in SEER Incidence^{ab} and U.S. Mortality^c Using the Joinpoint Regression Program, 1975-2016 With up to Five Joinpoints, 2000-2016 With up to Three Joinpoints, Males by Race/Ethnicity

	JP Trend 1		JP Trend 2		JP Trend 3		JP Trend 4		JP Trend 5		JP Trend 6		AAPC ^d	
	Years	APC	Years	APC	Years	APC	Years	APC	Years	APC	Years	APC	2007-16	2012-16
SEER 9 Delay-Adjusted Incidence ^a , 1975-2016														
All Races	1975-80	-4.6*	1980-97	1.8*	1997-12	5.5*	2012-16	-1.1					2.5*	-1.1
White	1975-77	10.4	1977-80	-9.0	1980-97	2.6*	1997-12	5.6*	2012-16	-1.3			2.5*	-1.3
Black	1975-16	3.1*											3.1*	3.1*
SEER 21 Delay-Adjusted Incidence ^b , 2000-2016														
All Races	2000-09	7.1*	2009-16	1.9*									3.0*	1.9*
White	2000-09	7.3*	2009-16	1.7*									2.9*	1.7*
White NH ^{ef}	2000-09	7.8*	2009-16	1.7*									3.0*	1.7*
Black	2000-16	3.9*											3.9*	3.9*
Black NH ^{ef}	2000-16	4.1*											4.1*	4.1*
API ^e	2000-16	5.3*											5.3*	5.3*
AI/AN ^{eg}	2000-16	4.3*											4.3*	4.3*
Hispanic ^f	2000-16	4.1*											4.1*	4.1*
U.S. Cancer Mortality ^c , 1975-2016														
All Races	1975-83	-3.1*	1983-16	1.2*									1.2*	1.2*
White	1975-84	-2.5*	1984-16	1.3*									1.3*	1.3*
Black	1975-16	0.5*											0.5*	0.5*
U.S. Cancer Mortality ^c , 2000-2016														
All Races	2000-16	1.1*											1.1*	1.1*
White	2000-16	1.1*											1.1*	1.1*
White NH ^{ef}	2000-16	1.1*											1.1*	1.1*
Black	2000-16	0.9											0.9	0.9
Black NH ^{ef}	2000-16	1.1											1.1	1.1
API ^e	2000-16	1.4											1.4	1.4
AI/AN ^{eg}	_												_	_
Hispanicf	2000-06	4.6	2006-09	-10.9	2009-16	4.3*							0.7	4.3*

Joinpoint Regression Program Version 4.7, February 2019, National Cancer Institute. (https://surveillance.cancer.gov/joinpoint/). The APC is the Annual Percent Change based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

d The AAPC is the Average Annual Percent Change and is based on the APCs calculated by Joinpoint.

API - Asian/Pacific Islander, AI/AN - American Indian/Alaska Native, NH - Non-Hispanic

Trends are from the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).

Trends are from the SEER 21 areas (SEER 9 areas, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, Georgia excluding ATL/RG, Idaho, New York and Massachusetts).

Trends are from US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

Hispanic and Non-Hispanic are not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Incidence data for Hispanics and Non-Hispanics are based on NHIA and exclude cases from the Alaska Native Registry. Data for American Indian/Alaska Native are based on the Purchased/Referred Care Delivery Area (PRCDA) counties.

^{*} The APC/AAPC is significantly different from zero (p<.05).

Joinpoint regression line analysis could not be performed on data series.